

July 1, 2018
Edition



**ADAPTERS
CAPS & PLUGS
COUPLINGS
ELBOWS
WRENCHES
TOOLS**



TABLE OF CONTENTS

Warranty..... 2

Company Information..... 3

Ordering Information..... 4

Determining Thread Size..... 5

Adapters — AA Series, Threaded..... 6

Adapters — AA Series, Storz..... 12

Elbows — AA Series, Threaded..... 18

Elbows — AH Series, Storz..... 21

Quick Connect Elbows — AF Series..... 26

Detent Elbows — AJ Series..... 27

Blind Caps — A0 Series..... 30

Hydrant Adapters — A0 Series..... 32

Hose Adapters..... 33

Tools..... 34



MADE IN USA

WARRANTY

Task Force Tips LLC, 3701 Innovation Way, Valparaiso, Indiana 46383-9327 USA (“TFT”) warrants to the original purchaser of its Adapters and other equipment (“equipment”), and to anyone to whom it is transferred, that the equipment shall be free from defects in material and workmanship during the five (5) year period from the date of purchase.

TFT’s obligation under this warranty is specifically limited to replacing or repairing the equipment (or its parts) which are shown by TFT’s examination to be in a defective condition attributable to TFT. To qualify for this limited warranty, the claimant must return the equipment to TFT, at 3701 Innovation Way, Valparaiso, Indiana 46383-9327 USA, within a reasonable time after discovery of the defect. TFT will examine the equipment. If TFT determines that there is a defect attributable to it, TFT will correct the problem within a reasonable time. If the equipment is covered by this limited warranty, TFT will assume the expenses of repair.

If any defect attributable to TFT under this limited warranty cannot be reasonably cured by repair or replacement, TFT may elect to refund the purchase price of the equipment, less reasonable depreciation, in complete discharge of its obligations under this limited warranty. If TFT makes this election, claimant shall return the equipment to TFT free and clear of any liens and encumbrances.

This is a limited warranty. The original purchaser of the equipment, any person to whom it is transferred, and any person who is an intended or unintended beneficiary of the equipment, shall not be entitled to recover from TFT any consequential or incidental damages for injury to person and/or property resulting from any defective equipment manufactured or assembled by TFT. It is agreed and understood that the price stated for the equipment is in part consideration for limiting TFT’s liability. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above may not apply to you.

TFT shall have no obligation under this limited warranty if the equipment is, or has been, misused or neglected (including failure to provide reasonable maintenance) or if there have been accidents to the equipment or if it has been repaired or altered by someone else.

THIS IS A LIMITED EXPRESS WARRANTY ONLY. TFT EXPRESSLY DISCLAIMS WITH RESPECT TO THE EQUIPMENT ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND ALL IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE. THERE IS NO WARRANTY OF ANY NATURE MADE BY TFT BEYOND THAT STATED IN THIS DOCUMENT.



This limited warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

TASK FORCE TIPS



If water flow matters to you, choose TFT. For 50 years we've focused on making sure firefighters have the best stream and reach, lowest friction loss, safest features, and the most rugged tool construction in the fire service. Every day new ideas flow at TFT for one reason, to help firefighters save lives and protect property more safely and effectively than the day before.

At TFT we understand that innovation isn't just products. It's also imaginative ways to manufacture more efficiently and to the highest quality standards. TFT's ISO 9001: 2015 certified manufacturing campus in Valparaiso, Indiana spans over 200,000 square feet. The building houses more than 250 employees and the very latest technology in information systems, CNC machines, parts distribution and quality control.



In addition, great customer service is a hallmark of TFT. We go the extra mile to give you personalized service that is second to none. Technical assistance is available 24/7, from a knowledgeable staff with decades of fire service experience. Our friendly and helpful sales staff stands ready to assist you from the TFT campus or in the field. If it's service or repair parts you need, our service department will offer the best solution to meet your needs with 24 hour turn around on all equipment sent back for service. Providing the best service to our customers is not just a goal, it's our way of doing business every day.

TFT has offered adapters and fittings for a number of years and demand continues to grow for them. TFT has introduced a number of new adapters and now a new catalog of these products is available. Given that there are a number of suppliers for adapters and elbows, why choose TFT?

- **PRODUCT ACCURACY & QUALITY**

With a long history in water flow and the latest state-of-the-art systems, TFT delivers the right size, the right thread, and a product of high quality.

- **CONSISTENT LEAD TIMES**

Many products are in stock for quick shipping. Orders that are more specialized will ship in a timely and consistent fashion.

- **A BRAND YOU CAN TRUST**

TFT is a leader in water flow. Product quality, service and support, and integrity in our business practices are an important part of how we do business everyday.

For more information about TFT go TFT.com or



Customer Technical Service: service@tft.com
North America Sales: sales@tft.com
International Sales: intsales@tft.com

24-Hour Turnaround Factory Service
24-Hour Technical Hot-line: 800-854-6864 • 219-462-6161

ORDERING INFORMATION

VERBAL ORDERS: Are accepted; however, any mistakes in ordering will be the responsibility of the customer. E-mail or faxed purchase orders are highly recommended. E-mail to sales@tft.com or fax to 219-464-7155.

TERMS: Net 30 days. Subject to credit approval. Subject to finance charge of one and one half percent (1.5%) per month.

DELIVERY: F.O.B. Factory. Shipments under 150 lb. (per box) will be sent by regular United Parcel Service. Please advise if other methods such as express shipment, or common carrier are required. Large items may be shipped by common carrier. Some orders for larger quantities may be bulk packed.

EXPEDITED ORDER PROCESSING

Task Force Tips recognizes that situations arise that may require TFT to consider expediting an existing order.

Upon acceptance of a revised estimated shipping date, a 10% express fee will be charged and shown as a separate line item on the invoice.

For additional information, contact Task Force Tips order entry team.

RETURNED GOODS

Seller will not consider requests for credit returns made more than 180 days after the date of shipment. Damaged shipments received in a damaged condition must be reported to us immediately upon receipt. No credit returns shall be accepted by Seller unless accompanied by a Return Goods Authorization (RGA) issued by Seller RGA Return Goods Authorization.

Seller shall have no obligation to issue an RGA. Seller reserves the sole right to determine the eligibility of items for credit.

Items which are received in non-returnable condition for credit will be handled in one of the following ways:

- Destroyed with Purchaser's approval
- Returned to Purchaser at its expense
- Refurbished and returned to Purchaser at its expense with its approval
- Partial credit issued to Purchaser at the sole discretion of Seller

Seller will have no responsibility or liability in connection with items returned for credit without an RGA. Credit returns arriving without a valid RGA may be refused. All items returned must be properly packed and identified in accordance with the RGA.

All costs and expenses associated with credit returns shall be borne by Purchaser. Return costs and expenses may include labor, material, administrative, and any other costs and expenses arising out of the return. A minimum 20% restocking charge may be assessed on all credit returns. Any credit will be subject to and conditioned the receipt of the returned items in new, unused, undamaged and saleable condition. All promos that no longer qualify will be reversed. Individual components purchased as part of a "package" may not be returned.

Seller may accept a credit return and waive the restocking or cancellation fee in the event Seller determines that the return was due to an error that was the fault of Seller. Returns for repair do not require an RGA, but should be registered using the TFT website at tft.com/support. The website includes Seller's repair terms and conditions and allows a return repair packing list and address label to be printed and progress of the repair to be tracked. If use of the website is not possible, information concerning repairs can be obtained by calling the Seller's Customer Care Team at 219-462-6161 or writing to Seller at Task Force Tips, 3701 Innovation Way, Valparaiso, IN 46383, USA. Repair returns may be subject to a repair estimate fee that will be waived if the repair is made.

All credit and repair returns are at Purchaser's or its customer's sole risk and expense, and any shipping charges on returned items shall be paid by Purchaser or its customer. No collect shipments will be accepted unless authorized in writing in advance by Seller.

THREAD ORDERING INFORMATION

NH: National Hose threads (NH) per NFPA 1963. British Standard Pipe threads (BSP) with 55 degree Whitworth form are produced to ISO 228. Straight Iron Pipe threads (NPSH, IPT or SIPT) are produced to ANSI/ASME B1.20.7-1991. Tapered Iron Pipe threads (NPT, TPT or TIPT) are produced to ANSI/ASME B1.20.1-1983 (R1992). Consult the factory for further information.

Thread Code Notation:

There is no additional charge for special threads. We maintain a library of hundreds of special thread specifications. Specifications from individual cities with functionally identical threads are grouped together in thread codes. Common codes are listed on page 5. TFT's code or specifications for threads will be needed at time of order. Please include TPI (threads per inch) and ODM (outside diameter). Also provide name of city to assure special threads match your specification.

Please add 1 - 2 weeks to normal delivery time. For additional information on thread specifications and determining thread dimensions, see page 5.

THREAD CHARTS

The following charts list many commonly used threads. Task Force Tips manufactures products with any thread required. Call Task Force Tips customer service 800-348-2686 for assistance with any special thread code needed.

NATIONAL STANDARD (NH or NST)		
	ODM	TFT CODE
1.0-8 NH	1.375	ND
1.5-9 NH	1.990	NF
2.5-7.5 NH	3.069	NJ
3.0-6 NH	3.624	NL
3.5-6 NH	4.244	NN
4.0-4 NH	5.000	NP
4.5-4 NH	5.761	NR
5.0-4 NH	6.260	NT
6.0-4 NH	7.025	NX

STRAIGHT IRON PIPE (NPSH, IPT, or SIPT)		
	ODM	TFT CODE
1.0-11.5 NPSH	1.295	ID
1.5-11.5 NPSH	1.878	IF
2.0-11.5 NPSH	2.352	IH
2.5-8 NPSH	2.843	IJ
3.0-8 NPSH	3.470	IL
3.5-8 NPSH	3.970	IN
4.0-8 NPSH	4.470	IP
4.5-8 NPSH	4.970	IR
5.0-8 NPSH	5.524	IT
6.0-8 NPSH	6.581	IX

TAPERED PIPE (NPT, TPT, or TIPT)	
	TFT CODE
1.0" NPT	TD
1.5" NPT	TF
2.0" NPT	TH
2.5" NPT	TJ
3.0" NPT	TL
3.5" NPT	TN
4.0" NPT	TP
4.5" NPT	TR
5.0" NPT	TT
6.0" NPT	TX

BRITISH STANDARD PIPE (BSP)		
	ODM	TFT CODE
1.0-11 BSP	1.309	BD
1.5-11 BSP	1.882	BF
2.0-11 BSP	2.347	BH
2.5-11 BSP	2.960	BJ
3.0-11 BSP	3.480	BL
3.5-11 BSP	3.950	BN
4.0-11 BSP	4.450	BP
4.5-11 BSP	4.950	BR
5.0-11 BSP	5.450	BT
6.0-11 BSP	6.450	BX

GARDEN HOSE (GHT)			
	ODM	TPI	TFT CODE
3/4-11.5 NH	1.062	11.5	NC

NEW YORK CORP (NYC)			
Size	ODM	TPI	TFT CODE
1.5"	2.093	11	Q
2.5"	3.000	8	J

NEW YORK CITY (FDNY)			
Size	ODM	TPI	TFT CODE
1.5"	2.100	8	U
2.5"	3.011	8	L

PACIFIC COAST (PCT)			
Size	ODM	TPI	TFT CODE
1.5"	2.100	11	Q
2.5"	3.035	7.5	AU

CHICAGO HOSE			
Size	ODM	TPI	TFT CODE
1.5"	1.946	11.5	AB
2.5"	3.043	7	W

CHICAGO FIRE DEPARTMENT (CFD)			
Size	ODM	TPI	TFT CODE
1.5"	1.933	11.5	AB
2.5"	2.990	7	P
4.0"	5.761	4	NR

NPT threads are not available on female swivels. Standard threads for TFT are National Standard (NH or NST), Straight Iron Pipe (NPSH, IPT or SIPT), Garden Hose (GHT) and Tapered Iron Pipe (NPT, TPT or TIPT).

OTHER US 2.5" THREADS			
CITY	ODM	TPI	TFT CODE
Buffalo, NY	3.0625	8	C
Cincinnati, OH	3.0580	6	M
Cleveland, OH	3.0781	8	CP
Denver, CO	3.0920	8	CM
Detroit, MI	3.1250	7.5	A
Omaha, NE	3.0781	8	CP
Phoenix, AZ	3.0620	6	M
Pittsburgh, PA	3.0625	6	M
Salt Lake City, UT	3.2500	6	G
Toledo, OH	3.0000	8	AI




OTHER CANADIAN 2.5" THREADS			
CITY	ODM	TPI	TFT CODE
Alberta Mutual Aid (AMA)	2.9000	8	J
British Columbia (BCT)	3.0000	8	J
Canadian Standards Assoc. (CSA)	3.1250	5	AT
Province of Quebec Std. (QST)	3.0310	7	AR
Western Canada Fire Under (WCT)	3.2500	6	G
Nova Scotia - Zone 1 (NOVA)	3.2340	5	CE
Quebec Montreal Combination (QMT)	3.0310	7	AR

DETERMINING THREAD DIMENSIONS

How to determine your thread dimensions if Leaf Thread Gage and O.D. Tape are not available.

- 1) Cut a strip of paper about 1" wide and long enough to completely encircle the male thread.
- 2) Wrap this paper snugly around the male thread making sure it is against the shoulder all the way around. Pierce the paper with a pin at some point where the paper overlaps. (Figure 1)
- 3) Using your thumb, press firmly against the threads round the entire circumference to leave an impression of the thread. This impression in the paper is used to determine the threads per inch. (Figure 2)
- 4) Remove the paper strip and circle pin holes with pencil.
- 5) The distance between the pin holes divided by 3.1416 equals the ODM (outside diameter of the male).
- 6) The impressions on the paper give the number of threads per inch (TPI) Both the ODM and TPI are needed. (Figure 3)
- 7) You may use the same method to determine the outside diameter (OD) of a hose.

Note: Do not measure a badly worn thread. If only a worn thread is available, send the male fitting to TFT for an accurate determination of the thread dimensions. Both the ODM and the TPI are needed for ordering purposes. Unified thread form supplied unless otherwise specified.



ADAPTERS — AA Series, Threaded

TFT AA series threaded adapters are designed for pressure or vacuum service on a hydrant, pumper or on the ground. Their maximum operating pressure is 300 psi (20 bar) and they are compliant to NFPA 1964 2018 edition which dictates a 900 psi (62 bar) hydrostatic strength test. The aluminum parts are hardcoat anodized per MIL-A-8625F Type III, Class 2 for maximum corrosion protection. Adapters are permanently marked with the thread size and TPI per NFPA. 2.5" and smaller swivel connections use stainless steel ball bearings, not piston rings, to ensure longevity and easy serviceability. 3.0" and larger connections use polymer bearing rings which provide electrical isolation to help prevent galvanic corrosion.



STYLE 53R AA10 SERIES - Swivel Rocker Lug to Rigid Rocker Lug

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AA10NJ-TJ	ADAPTER 2.5" NHF X 2.5" NPTF	SWIVEL ROCKER LUG TO RIGID ROCKER LUG	\$42.50



STYLE 57L AA7H SERIES - Swivel Female Handle to Swivel Female Handle

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AA7HNP-NP	ADAPTER 4.0"NHF X 4.0"NHF	SWIVEL FEMALE HANDLE - BOTH ENDS	\$179.50
AA7HNR-NP	ADAPTER 4.0"NHF X 4.5"NHF	SWIVEL FEMALE HANDLE - BOTH ENDS	\$187.00
AA7HNR-NR	ADAPTER 4.5"NHF X 4.5"NHF	SWIVEL FEMALE HANDLE - BOTH ENDS	\$221.00
AA7HNT-NP	ADAPTER 5.0"NHF X 4.0"NHF	SWIVEL FEMALE HANDLE - BOTH ENDS	\$217.00
AA7HNT-NR	ADAPTER 5.0"NHF X 4.5"NHF	SWIVEL FEMALE HANDLE - BOTH ENDS	\$235.50
AA7HNT-NT	ADAPTER 5.0"NHF X 5.0"NHF	SWIVEL FEMALE HANDLE - BOTH ENDS	\$278.50
AA7HNX-NP	ADAPTER 6.0"NHF X 4.0"NHF	SWIVEL FEMALE HANDLE - BOTH ENDS	\$274.50
AA7HNX-NR	ADAPTER 6.0"NHF X 4.5"NHF	SWIVEL FEMALE HANDLE - BOTH ENDS	\$279.50
AA7HNX-NT	ADAPTER 6.0"NHF X 5.0"NHF	SWIVEL FEMALE HANDLE - BOTH ENDS	\$311.00
AA7HNX-NX	ADAPTER 6.0"NHF X 6.0"NHF	SWIVEL FEMALE HANDLE - BOTH ENDS	\$316.50



STYLE 35R AA7 SERIES - Swivel Female Rocker Lug to Swivel Female Rocker Lug

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AA7ID-ID	1.0"NPSHF X 1.0"NPSHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$25.50
AA7ND-ND	1.0"NHF X 1.0"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$25.50
AA7ND-ND	1.0"NHF X 1.0"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$25.50
AA7IF-IF	1.5"NPSHF X 1.5"NPSHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$32.00
AA7NF-IF	1.5"NHF X 1.5"NPSHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$32.00
AA7NF-NF	1.5"NHF X 1.5"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$32.00
AA7IH-IF	2.0" NPSHF X 1.5" NPSHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$44.00
AA7IJ-IJ	2.5"NPSHF X 2.5"NPSHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$42.50
AA7NJ-IJ	2.5"NHF X 2.5"NPSHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$42.50
AA7NJ-NF	2.5" NHF X 1.5" NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$42.50
AA7NJ-NJ	2.5"NHF X 2.5"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$42.50
AA7NL-NJ	3.0"NHF X 2.5"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$93.00
AA7NL-NL	3.0"NHF X 3.0"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$77.00
AA7NN-NJ	3.5"NHF X 2.5"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$125.50
AA7NN-NL	3.5"NHF X 3.0"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$136.50
AA7NN-NN	3.5"NHF X 3.5"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$125.50
AA7NP-NJ	4.0"NHF X 2.5"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$127.50
AA7NP-NL	4.0"NHF X 3.0"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$148.50
AA7NP-NN	4.0"NHF X 3.5"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$154.00
AA7NP-NP	4.0"NHF X 4.0"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$160.00
AA7NR-NJ	4.5"NHF X 2.5"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$162.50
AA7NR-NL	4.5"NHF X 3.0"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$169.50
AA7NR-NN	4.5"NHF X 3.5"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$165.00
AA7NR-NP	4.5"NHF X 4.0"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$159.50
AA7NR-NR	4.5"NHF X 4.5"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$143.00
AA7NT-NJ	5.0"NHF X 2.5"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$191.00
AA7NT-NL	5.0"NHF X 3.0"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$210.00
AA7NT-NN	5.0"NHF X 3.5"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$213.50
AA7NT-NP	5.0"NHF X 4.0"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$242.00
AA7NT-NR	5.0"NHF X 4.5"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$233.50
AA7NT-NT	5.0"NHF X 5.0"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$232.00
AA7NX-NJ	6.0"NHF X 2.5"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$330.50
AA7NX-NL	6.0"NHF X 3.0"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$330.50
AA7NX-NN	6.0"NHF X 3.5"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$330.50



STYLE 37R AA5 SERIES - Rigid Female Rocker Lug to Rigid Male

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AA5GHT-ID	ADAPTER .75"GHTF X 1.0"NPSHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$19.00
AA5GHT-ND	ADAPTER .75"GHTF X 1.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$19.00
AA5ID-GHT	ADAPTER 1.0"NPSHF X .75"GHTM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$19.00
AA5ID-ND	ADAPTER 1.0"NPSHF X 1.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$21.50
AA5ID-NF	ADAPTER 1.0"NPSHF X 1.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$25.00
AA5ND-GHT	ADAPTER 1.0"NHF X .75"GHTM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$19.00
AA5ND-ID	ADAPTER 1.0"NHF X 1.0"NPSHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$21.50
AA5TD-ND	ADAPTER 1.0"NPTF X 1.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$21.50
AA5ND-NF	ADAPTER 1.0"NHF X 1.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$25.00
AA5IF-NF	ADAPTER 1.5"NPSHF X 1.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$24.00
AA5NF-GHT	ADAPTER 1.5"NHF X .75"GHTM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$26.00
AA5NF-ID	ADAPTER 1.5"NHF X 1.0"NPSHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$25.00
AA5NF-IF	ADAPTER 1.5"NHF X 1.5"NPSHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$25.50
AA5NF-ND	ADAPTER 1.5"NHF X 1.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$25.00
AA5NF-NF	ADAPTER 1.5"NHF X 1.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$24.00
AA5NF-NJ	ADAPTER 1.5"NHF X 2.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$28.00
AA5TH-NF	ADAPTER 2.0"NPTF X 1.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$28.00
AA5TH-NJ	ADAPTER 2.0"NPTF X 2.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$41.50
AA5IJ-IF	ADAPTER 2.5"NPSHF X 1.5"NPSHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$27.00
AA5NJ-GHT	ADAPTER 2.5"NHF X .75"GHTM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$47.50
AA5NJ-IF	ADAPTER 2.5"NHF X 1.5"NPSHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$27.00
AA5NJ-ND	ADAPTER 2.5"NHF X 1.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$46.50
AA5NJ-NF	ADAPTER 2.5"NHF X 1.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$27.00
AA5NJ-NJ	ADAPTER 2.5"NHF X 2.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$30.00
AA5NJ-NL	ADAPTER 2.5"NHF X 3.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$54.00
AA5NJ-NN	ADAPTER 2.5"NHF X 3.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$65.00
AA5NJ-NP	ADAPTER 2.5"NHF X 4.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$116.50
AA5NJ-NR	ADAPTER 2.5"NHF X 4.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$122.50
AA5NJ-NT	ADAPTER 2.5"NHF X 5.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$142.00
AA5NJ-NX	ADAPTER 2.5"NHF X 6.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$204.00
AA5NJ-TD	ADAPTER 2.5"NHF X 1.0"NPTM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$46.50
AA5NJ-TF	ADAPTER 2.5"NHF X 1.5"NPTM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$27.00
AA5IL-NJ	ADAPTER 3.0"NPSHF X 2.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$63.00
AA5NL-NJ	ADAPTER 3.0"NHF X 2.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$63.00
AA5TL-NJ	ADAPTER 3.0"NPTF X 2.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$63.00
AA5NL-NL	ADAPTER 3.0"NHF X 3.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$61.00
AA5NL-NN	ADAPTER 3.0"NHF X 3.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$133.00

STYLE 37R AA5 SERIES - Rigid Female Rocker Lug to Rigid Male

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AA5NL-NP	ADAPTER 3.0"NHF X 4.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$143.00
AA5NL-NR	ADAPTER 3.0"NHF X 4.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$174.00
AA5NL-NT	ADAPTER 3.0"NHF X 5.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$194.00
AA5NL-NX	ADAPTER 3.0"NHF X 6.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$208.00
AA5NN-NJ	ADAPTER 3.5"NHF X 2.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$67.00
AA5NN-NL	ADAPTER 3.5"NHF X 3.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$136.50
AA5NN-NN	ADAPTER 3.5"NHF X 3.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$115.50
AA5NN-NP	ADAPTER 3.5"NHF X 4.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$142.00
AA5NN-NR	ADAPTER 3.5"NHF X 4.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$162.50
AA5NN-NT	ADAPTER 3.5"NHF X 5.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$168.50
AA5NN-NX	ADAPTER 3.5"NHF X 6.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$231.00
AA5NP-NJ	ADAPTER 4.0"NHF X 2.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$114.50
AA5TP-NJ	ADAPTER 4.0"NPT X 2.5"NH	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$114.50
AA5NP-IL	ADAPTER 4.0"NHF X 3.0"NPSHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$145.50
AA5NP-NN	ADAPTER 4.0"NHF X 3.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$146.50
AA5NP-NP	ADAPTER 4.0"NHF X 4.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$131.50
AA5TP-NP	ADAPTER 4.0"NPT X 4.0"NH	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$131.50
AA5NP-NR	ADAPTER 4.0"NHF X 4.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$170.00
AA5NP-NT	ADAPTER 4.0"NHF X 5.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$190.50
AA5NP-NX	ADAPTER 4.0"NHF X 6.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$250.00
AA5NR-NJ	ADAPTER 4.5"NHF X 2.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$132.50
AA5NR-NL	ADAPTER 4.5"NHF X 3.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$166.00
AA5NR-NN	ADAPTER 4.5"NHF X 3.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$161.00
AA5NR-NP	ADAPTER 4.5"NHF X 4.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$151.50
AA5NR-NR	ADAPTER 4.5"NHF X 4.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$164.50
AA5NR-NT	ADAPTER 4.5"NHF X 5.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$204.50
AA5NR-NX	ADAPTER 4.5"NHF X 6.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$253.00
AA5NT-NJ	ADAPTER 5.0"NHF X 2.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$166.00
AA5NT-NL	ADAPTER 5.0"NHF X 3.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$167.50
AA5NT-NN	ADAPTER 5.0"NHF X 3.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$178.00
AA5NT-NP	ADAPTER 5.0"NHF X 4.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$165.00
AA5NT-NR	ADAPTER 5.0"NHF X 4.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$194.50
AA5NT-NT	ADAPTER 5.0"NHF X 5.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$186.50
AA5NT-NX	ADAPTER 5.0"NHF X 6.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$282.50
AA5NX-NL	ADAPTER 6.0"NHF X 3.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$329.00
AA5NX-NN	ADAPTER 6.0"NHF X 3.5"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$335.00
AA5NX-NT	ADAPTER 6.0"NHF X 5.0"NHM	RIGID FEMALE ROCKER LUG TO RIGID MALE	\$234.00



STYLE 57L AA5H SERIES - Rigid Female Handle to Rigid Male

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AA5HNJ-NX	ADAPTER 2.5"NHF X 6.0"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$311.50
AA5HNP-NJ	ADAPTER 4.0"NHF X 2.5"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$154.00
AA5HNP-NP	ADAPTER 4.0"NHF X 4.0"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$174.00
AA5HNP-NR	ADAPTER 4.0"NHF X 4.5"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$213.50
AA5HNP-NT	ADAPTER 4.0"NHF X 5.0"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$231.00
AA5HNP-NX	ADAPTER 4.0"NHF X 6.0"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$289.50
AA5HNR-NP	ADAPTER 4.5"NHF X 4.0"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$188.50
AA5HNR-NR	ADAPTER 4.5"NHF X 4.5"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$205.50
AA5HNR-NT	ADAPTER 4.5"NHF X 5.0"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$249.00
AA5HNR-NX	ADAPTER 4.5"NHF X 6.0"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$296.50
AA5HNT-NP	ADAPTER 5.0"NHF X 4.0"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$197.50
AA5HNT-NR	ADAPTER 5.0"NHF X 4.5"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$230.00
AA5HNT-NT	ADAPTER 5.0"NHF X 5.0"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$283.50
AA5HNT-NX	ADAPTER 5.0"NHF X 6.0"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$334.50
AA5HNX-NJ	ADAPTER 6.0"NHF X 2.5"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$365.50
AA5HNX-NP	ADAPTER 6.0"NHF X 4.0"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$246.00
AA5HNX-NR	ADAPTER 6.0"NHF X 4.5"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$262.50
AA5HNX-NT	ADAPTER 6.0"NHF X 5.0"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$300.00
AA5HNX-NX	ADAPTER 6.0"NHF X 6.0"NHM	RIGID FEMALE HANDLE TO RIGID MALE	\$334.50



STYLE 54R AA11 SERIES - Swivel Female Handle to Rigid Male

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AA11HNJ-NF	ADAPTER 2.5"NHF X 1.5"NHM	SWIVEL FEMALE HANDLE TO RIGID MALE	\$125.00
AA11HNJ-NP	ADAPTER 2.5"NHF X 4.0"NHM	SWIVEL FEMALE HANDLE TO RIGID MALE	\$260.00



STYLE 36R AA6 SERIES - Rigid Male Rocker Lug to Rigid Male Rocker Lug

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AA6ID-ID	ADAPTER 1.0"NPSHM X 1.0"NPSHM	RIGID MALE TO RIGID MALE	\$21.50
AA6ND-ND	ADAPTER 1.0"NHM X 1.0"NHM	RIGID MALE TO RIGID MALE	\$21.50
AA6IF-IF	ADAPTER 1.5"NPSHM X 1.5"NPSHM	RIGID MALE TO RIGID MALE	\$17.00
AA6NF-NF	ADAPTER 1.5"NHM X 1.5"NHM	RIGID MALE TO RIGID MALE	\$17.00
AA6NF-TF	ADAPTER 1.5"NHM X 1.5"NPTM	RIGID MALE TO RIGID MALE	\$17.00
AA6IJ-IJ	ADAPTER 2.5"NPSHM X 2.5"NPSHM	RIGID MALE TO RIGID MALE	\$24.00
AA6NJ-NJ	ADAPTER 2.5"NHM X 2.5"NHM	RIGID MALE TO RIGID MALE	\$24.00
AA6NL-NJ	ADAPTER 3.0"NHM X 2.5"NHM	RIGID MALE TO RIGID MALE	\$64.00
AA6NL-NL	ADAPTER 3.0"NHM X 3.0"NHM	RIGID MALE TO RIGID MALE	\$59.50
AA6NN-NJ	ADAPTER 3.5"NHM X 2.5"NHM	RIGID MALE TO RIGID MALE	\$89.00
AA6NN-NL	ADAPTER 3.5"NHM X 3.0"NHM	RIGID MALE TO RIGID MALE	\$115.50
AA6NN-NN	ADAPTER 3.5"NHM X 3.5"NHM	RIGID MALE TO RIGID MALE	\$98.00
AA6NP-NJ	ADAPTER 4.0"NHM X 2.5"NHM	RIGID MALE TO RIGID MALE	\$100.50
AA6NP-NL	ADAPTER 4.0"NHM X 3.0"NHM	RIGID MALE TO RIGID MALE	\$135.50
AA6NP-NN	ADAPTER 4.0"NHM X 3.5"NHM	RIGID MALE TO RIGID MALE	\$114.50
AA6NP-NP	ADAPTER 4.0"NHM X 4.0"NHM	RIGID MALE TO RIGID MALE	\$109.00
AA6NR-NJ	ADAPTER 4.5"NHM X 2.5"NHM	RIGID MALE TO RIGID MALE	\$111.00
AA6NR-NL	ADAPTER 4.5"NHM X 3.0"NHM	RIGID MALE TO RIGID MALE	\$133.00
AA6NR-NN	ADAPTER 4.5"NHM X 3.5"NHM	RIGID MALE TO RIGID MALE	\$126.50
AA6NR-NP	ADAPTER 4.5"NHM X 4.0"NHM	RIGID MALE TO RIGID MALE	\$149.50
AA6NR-NR	ADAPTER 4.5"NHM X 4.5"NHM	RIGID MALE TO RIGID MALE	\$119.00
AA6NT-NJ	ADAPTER 5.0"NHM X 2.5"NHM	RIGID MALE TO RIGID MALE	\$233.50
AA6NT-NL	ADAPTER 5.0"NHM X 3.0"NHM	RIGID MALE TO RIGID MALE	\$305.00
AA6NT-NN	ADAPTER 5.0"NHM X 3.5"NHM	RIGID MALE TO RIGID MALE	\$289.50
AA6NT-NP	ADAPTER 5.0"NHM X 4.0"NHM	RIGID MALE TO RIGID MALE	\$155.50
AA6NT-NR	ADAPTER 5.0"NHM X 4.5"NHM	RIGID MALE TO RIGID MALE	\$158.50
AA6NT-NT	ADAPTER 5.0"NHM X 5.0"NHM	RIGID MALE TO RIGID MALE	\$130.00
AA6NX-NJ	ADAPTER 6.0"NHM X 2.5"NHM	RIGID MALE TO RIGID MALE	\$121.00
AA6NX-NP	ADAPTER 6.0"NHM X 4.0"NHM	RIGID MALE TO RIGID MALE	\$194.00
AA6NX-NR	ADAPTER 6.0"NHM X 4.5"NHM	RIGID MALE TO RIGID MALE	\$187.00
AA6NX-NT	ADAPTER 6.0"NHM X 5.0"NHM	RIGID MALE TO RIGID MALE	\$154.00
AA6NX-NX	ADAPTER 6.0"NHM X 6.0"NHM	RIGID MALE TO RIGID MALE	\$210.00

ADAPTERS — AA Series, Storz

TFT AA series Storz adapters are designed for pressure or vacuum service on a hydrant, pumper or on the ground. Their maximum operating pressure is 300 psi (20 bar) and they are compliant to NFPA 1964 2018 edition which dictates a 900 psi (62 bar) hydrostatic strength test. The aluminum parts are hardcoat anodized per MIL-A-8625 Type III, Class 2 for maximum corrosion protection. Adapters are permanently marked with the thread size and TPI per NFPA and include a red anodized aluminum locking lever (4", 5" and 6"). Connections use polymer bearing rings which provide electrical isolation to help prevent galvanic corrosion. All Storz adapters are supplied with pressure gaskets. Suction gaskets are available. All 4" and 5" Storz Rigid coupling may be switched from rigid to swivel by loosening the lock screw.



STLYE S54L AA1H SERIES - Rigid Storz to Rigid Female Handle

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AA1HSP-NP	ADAPTER 4.0"STORZ X 4.0"NHF	RIGID TO FEMALE RIGID HANDLE	\$226.50
AA1HSP-NR	ADAPTER 4.0"STORZ X 4.5"NHF	RIGID TO FEMALE RIGID HANDLE	\$228.00
AA1HSP-NT	ADAPTER 4.0"STORZ X 5.0"NHF	RIGID TO FEMALE RIGID HANDLE	\$238.50
AA1HSP-NX	ADAPTER 4.0"STORZ X 6.0"NHF	RIGID TO FEMALE RIGID HANDLE	\$274.50
AA1HST-NP	ADAPTER 5.0"STORZ X 4.0"NHF	RIGID TO FEMALE RIGID HANDLE	\$233.50
AA1HST-NR	ADAPTER 5.0"STORZ X 4.5"NHF	RIGID TO FEMALE RIGID HANDLE	\$238.50
AA1HST-NT	ADAPTER 5.0"STORZ X 5.0"NHF	RIGID TO FEMALE RIGID HANDLE	\$252.50
AA1HST-NX	ADAPTER 5.0"STORZ X 6.0"NHF	RIGID TO FEMALE RIGID HANDLE	\$292.00
AA1HSX-NP	ADAPTER 6.0"STORZ X 4.0"NHF	RIGID TO FEMALE RIGID HANDLE	\$304.00
AA1HSX-NR	ADAPTER 6.0"STORZ X 4.5"NHF	RIGID TO FEMALE RIGID HANDLE	\$328.50
AA1HSX-NT	ADAPTER 6.0"STORZ X 5.0"NHF	RIGID TO FEMALE RIGID HANDLE	\$344.50
AA1HSX-NX	ADAPTER 6.0"STORZ X 6.0"NHF	RIGID TO FEMALE RIGID HANDLE	\$385.00



STYLE S37L AA1 SERIES - Rigid StorZ to Rigid Female Rocker Lug

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AA1SH-NF	ADAPTER 2.0"STORZ X 1.5"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$92.00
AA1SJ-NJ	ADAPTER 2.5"STORZ X 2.5"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$99.00
AA1SL-NJ	ADAPTER 3.0"STORZ X 2.5"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$152.00
AA1SP-NJ	ADAPTER 4.0"STORZ X 2.5"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$128.00
AA1SP-NL	ADAPTER 4.0"STORZ X 3.0"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$138.00
AA1SP-NN	ADAPTER 4.0"STORZ X 3.5"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$145.00
AA1SP-NP	ADAPTER 4.0"STORZ X 4.0"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$150.50
AA1SP-NR	ADAPTER 4.0"STORZ X 4.5"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$168.00
AA1SP-NT	ADAPTER 4.0"STORZ X 5.0"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$177.50
AA1SP-TP	ADAPTER 4.0"STORZ X 4.0"NPTF	RIGID TO RIGID FEMALE ROCKER LUG	\$150.50
AA1ST-NJ	ADAPTER 5.0"STORZ X 2.5"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$183.50
AA1ST-NL	ADAPTER 5.0"STORZ X 3.0"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$193.00
AA1ST-NN	ADAPTER 5.0"STORZ X 3.5"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$198.00
AA1ST-NP	ADAPTER 5.0"STORZ X 4.0"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$207.50
AA1ST-NR	ADAPTER 5.0"STORZ X 4.5"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$211.00
AA1ST-NT	ADAPTER 5.0"STORZ X 5.0"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$212.00
AA1ST-NX	ADAPTER 5.0"STORZ X 6.0"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$254.50
AA1SX-NJ	ADAPTER 6.0"STORZ X 2.5"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$240.00
AA1SX-NL	ADAPTER 6.0"STORZ X 3.0"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$250.00
AA1SX-NN	ADAPTER 6.0"STORZ X 3.5"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$255.00
AA1SX-NP	ADAPTER 6.0"STORZ X 4.0"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$238.50
AA1SX-NR	ADAPTER 6.0"STORZ X 4.5"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$267.00
AA1SX-NT	ADAPTER 6.0"STORZ X 5.0"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$282.50
AA1SX-NX	ADAPTER 6.0"STORZ X 6.0"NHF	RIGID TO RIGID FEMALE ROCKER LUG	\$286.00



STYLE S36S AA2 SERIES - Rigid Storz to Rigid Male

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AA2SF-IF	ADAPTER 1.5"STORZ X 1.5"NHM	RIGID TO RIGID MALE ROCKER LUG	\$61.50
AA2SF-NF	ADAPTER 1.5"STORZ X 1.5"NHM	RIGID TO RIGID MALE ROCKER LUG	\$61.50
AA2SJ-NJ	ADAPTER 2.5"STORZ X 2.5"NHM	RIGID TO RIGID MALE ROCKER LUG	\$99.00
AA2SJ-NL	ADAPTER 2.5"STORZ X 3.0"NHM	RIGID TO RIGID MALE ROCKER LUG	\$99.00
AA2SL-NJ	ADAPTER 3.0"STORZ X 2.5"NHM	RIGID TO RIGID MALE ROCKER LUG	\$99.00
AA2SP-NJ	ADAPTER 4.0"STORZ X 2.5"NHM	RIGID TO RIGID MALE ROCKER LUG	\$138.50
AA2SP-NL	ADAPTER 4.0"STORZ X 3.0"NHM	RIGID TO RIGID MALE ROCKER LUG	\$153.50
AA2SP-NN	ADAPTER 4.0"STORZ X 3.5"NHM	RIGID TO RIGID MALE ROCKER LUG	\$163.00
AA2SP-NP	ADAPTER 4.0"STORZ X 4.0"NHM	RIGID TO RIGID MALE ROCKER LUG	\$155.50
AA2SP-NR	ADAPTER 4.0"STORZ X 4.5"NHM	RIGID TO RIGID MALE ROCKER LUG	\$168.00
AA2SP-NT	ADAPTER 4.0"STORZ X 5.0"NHM	RIGID TO RIGID MALE ROCKER LUG	\$175.00
AA2SP-NX	ADAPTER 4.0"STORZ X 6.0"NHM	RIGID TO RIGID MALE ROCKER LUG	\$177.50
AA2ST-NJ	ADAPTER 5.0"STORZ X 2.5"NHM	RIGID TO RIGID MALE ROCKER LUG	\$174.00
AA2ST-NL	ADAPTER 5.0"STORZ X 3.0"NHM	RIGID TO RIGID MALE ROCKER LUG	\$175.00
AA2ST-NN	ADAPTER 5.0"STORZ X 3.5"NHM	RIGID TO RIGID MALE ROCKER LUG	\$193.50
AA2ST-NP	ADAPTER 5.0"STORZ X 4.0"NHM	RIGID TO RIGID MALE ROCKER LUG	\$194.50
AA2ST-NR	ADAPTER 5.0"STORZ X 4.5"NHM	RIGID TO RIGID MALE ROCKER LUG	\$197.00
AA2ST-NT	ADAPTER 5.0"STORZ X 5.0"NHM	RIGID TO RIGID MALE ROCKER LUG	\$195.50
AA2ST-NX	ADAPTER 5.0"STORZ X 6.0"NHM	RIGID TO RIGID MALE ROCKER LUG	\$209.50
AA2SX-NJ	ADAPTER 6.0"STORZ X 2.5"NHM	RIGID TO RIGID MALE ROCKER LUG	\$217.00
AA2SX-NL	ADAPTER 6.0"STORZ X 3.0"NHM	RIGID TO RIGID MALE ROCKER LUG	\$217.00
AA2SX-NN	ADAPTER 6.0"STORZ X 3.5"NHM	RIGID TO RIGID MALE ROCKER LUG	\$217.00
AA2SX-NP	ADAPTER 6.0"STORZ X 4.0"NHM	RIGID TO RIGID MALE ROCKER LUG	\$233.50
AA2SX-NR	ADAPTER 6.0"STORZ X 4.5"NHM	RIGID TO RIGID MALE ROCKER LUG	\$245.50
AA2SX-NT	ADAPTER 6.0"STORZ X 5.0"NHM	RIGID TO RIGID MALE ROCKER LUG	\$254.50
AA2SX-NX	ADAPTER 6.0"STORZ X 6.0"NHM	RIGID TO RIGID MALE ROCKER LUG	\$268.50



STYLE S54R AA3 SERIES - Swivel Storz to Swivel Female Rocker Lug

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AA3SH-NF	ADAPTER 2.0"STORZ X 1.5"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$92.00
AA3SJ-NJ	ADAPTER 2.5"STORZ X 2.5"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$99.00
AA3SP-NJ	ADAPTER 4.0"STORZ X 2.5"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$159.50
AA3SP-NL	ADAPTER 4.0"STORZ X 3.0"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$177.00
AA3SP-NN	ADAPTER 4.0"STORZ X 3.5"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$212.00
AA3SP-NP	ADAPTER 4.0"STORZ X 4.0"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$208.50
AA3SP-NR	ADAPTER 4.0"STORZ X 4.5"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$224.00
AA3SP-NT	ADAPTER 4.0"STORZ X 5.0"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$238.50
AA3SP-NX	ADAPTER 4.0"STORZ X 6.0"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$264.50
AA3ST-NJ	ADAPTER 5.0"STORZ X 2.5"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$190.50
AA3ST-NL	ADAPTER 5.0"STORZ X 3.0"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$229.00
AA3ST-NN	ADAPTER 5.0"STORZ X 3.5"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$224.00
AA3ST-NP	ADAPTER 5.0"STORZ X 4.0"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$221.50
AA3ST-NR	ADAPTER 5.0"STORZ X 4.5"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$218.00
AA3ST-NT	ADAPTER 5.0"STORZ X 5.0"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$219.00
AA3ST-NX	ADAPTER 5.0"STORZ X 6.0"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$271.50
AA3SX-NJ	ADAPTER 6.0"STORZ X 2.5"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$240.00
AA3SX-NL	ADAPTER 6.0"STORZ X 3.0"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$260.00
AA3SX-NN	ADAPTER 6.0"STORZ X 3.5"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$275.00
AA3SX-NP	ADAPTER 6.0"STORZ X 4.0"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$264.50
AA3SX-NR	ADAPTER 6.0"STORZ X 4.5"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$265.50
AA3SX-NT	ADAPTER 6.0"STORZ X 5.0"NHF	SWIVEL TO SWIVEL FEMALE ROCKER LUG	\$306.00



STYLE S54L AA3H SERIES - Swivel Storz to Swivel Female Handle

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AA3HSP-NP	ADAPTER 4.0"STORZ X 4.0"NHF	SWIVEL TO SWIVEL FEMALE HANDLE	\$226.50
AA3HSP-NR	ADAPTER 4.0"STORZ X 4.5"NHF	SWIVEL TO SWIVEL FEMALE HANDLE	\$228.00
AA3HSP-NT	ADAPTER 4.0"STORZ X 5.0"NHF	SWIVEL TO SWIVEL FEMALE HANDLE	\$238.50
AA3HSP-NX	ADAPTER 4.0"STORZ X 6.0"NHF	SWIVEL TO SWIVEL FEMALE HANDLE	\$274.50
AA3HST-NP	ADAPTER 5.0"STORZ X 4.0"NHF	SWIVEL TO SWIVEL FEMALE HANDLE	\$233.50
AA3HST-NR	ADAPTER 5.0"STORZ X 4.5"NHF	SWIVEL TO SWIVEL FEMALE HANDLE	\$238.50
AA3HST-NT	ADAPTER 5.0"STORZ X 5.0"NHF	SWIVEL TO SWIVEL FEMALE HANDLE	\$252.50
AA3HST-NX	ADAPTER 5.0"STORZ X 6.0"NHF	SWIVEL TO SWIVEL FEMALE HANDLE	\$292.00
AA3HSX-NP	ADAPTER 6.0"STORZ X 4.0"NHF	SWIVEL TO SWIVEL FEMALE HANDLE	\$304.00
AA3HSX-NR	ADAPTER 6.0"STORZ X 4.5"NHF	SWIVEL TO SWIVEL FEMALE HANDLE	\$328.50
AA3HSX-NT	ADAPTER 6.0"STORZ X 5.0"NHF	SWIVEL TO SWIVEL FEMALE HANDLE	\$344.50
AA3HSX-NX	ADAPTER 6.0"STORZ X 6.0"NHF	SWIVEL TO SWIVEL FEMALE HANDLE	\$385.00



STYLE S60S AA4 SERIES - Swivel Storz to Swivel Storz

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AA4SST-SP	ADAPTER 5.0"STORZ X 4.0"STORZ	SWIVEL TO SWIVEL STORZ	\$220.50

STYLE S60S AA4 SERIES - Rigid Storz to Rigid Storz

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AASJ-SH	ADAPTER 2.5"STORZ X 2.0"STORZ	RIGID TO RIGID	\$112.00
AA4SL-SH	ADAPTER 3.0"STORZ X 2.0"STORZ	RIGID TO RIGID	\$125.00
AA4SP-SJ	ADAPTER 4.0"STORZ X 2.5"STORZ	RIGID TO RIGID	\$180.00
AA4SP-SP	ADAPTER 4.0"STORZ X 4.0"STORZ	RIGID TO RIGID	\$195.00
AA4ST-SP	ADAPTER 5.0"STORZ X 4.0"STORZ	RIGID TO RIGID	\$220.50
AA4ST-ST	ADAPTER 5.0"STORZ X 5.0"STORZ	RIGID TO RIGID	\$205.00
AA4SX-SP	ADAPTER 6.0"STORZ X 4.0"STORZ	RIGID TO RIGID	\$258.50
AA4SX-ST	ADAPTER 6.0"STORZ X 5.0"STORZ	RIGID TO RIGID	\$281.00
AA4SX-SX	ADAPTER 6.0"STORZ X 6.0"STORZ	RIGID TO RIGID	\$410.00

ELBOWS — AH Series, Threaded

TFT AH series threaded elbows are cast to a 30-degree down angle for easy connection and to relieve the weight of the hose when connected. Their maximum operating pressure is 300 psi (20 bar) and they are compliant to NFPA 1964 2018 edition which dictates a 900 psi (62 bar) hydrostatic strength test. The aluminum parts are hardcoat anodized per MIL-A-8625 Type III, Class 2 for maximum corrosion protection then powder coated silver. Hose couplings are attached using polymer bearing rings which provide electrical isolation to help prevent galvanic corrosion.



STYLE KE AH5 SERIES - Swivel Female Rocker Lug to Rigid Male Rocker Lug

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AH5NJ-NJ	ELBOW 2.5"NHF X 2.5"NHM	SWIVEL ROCKER LUG TO RIGID MALE	\$136.50
AH5NJ-NL	ELBOW 2.5"NHF X 3.0"NHM	SWIVEL ROCKER LUG TO RIGID MALE	\$190.00
AH5NL-NJ	ELBOW 3.0"NHF X 2.5"NHM	SWIVEL ROCKER LUG TO RIGID MALE	\$103.00
AH5NL-NL	ELBOW 3.0"NHF X 3.0"NHM	SWIVEL ROCKER LUG TO RIGID MALE	\$153.50
AH5NL-NR	ELBOW 3.0"NHF X 4.5"NHM	SWIVEL ROCKER LUG TO RIGID MALE	\$365.00
AH5NN-NN	ELBOW 3.5"NHF X 3.5"NHM	SWIVEL ROCKER LUG TO RIGID MALE	\$174.00
AH5NP-NP	ELBOW 4.0"NHF X 4.0"NHM	SWIVEL ROCKER LUG TO RIGID MALE	\$197.00
AH5NP-NR	ELBOW 4.0"NHF X 4.5"NHM	SWIVEL ROCKER LUG TO RIGID MALE	\$365.00
AH5NP-NT	ELBOW 4.0"NHF X 5.0"NHM	SWIVEL ROCKER LUG TO RIGID MALE	\$485.00
AH5NP-NX	ELBOW 4.0"NHF X 6.0"NHM	SWIVEL ROCKER LUG TO RIGID MALE	\$505.00
AH5NR-NP	ELBOW 4.5"NHF X 4.0"NHM	SWIVEL ROCKER LUG TO RIGID MALE	\$365.00
AH5NR-NR	ELBOW 4.5"NHF X 4.5"NHM	SWIVEL ROCKER LUG TO RIGID MALE	\$255.50
AH5NR-NT	ELBOW 4.5"NHF X 5.0"NHM	SWIVEL ROCKER LUG TO RIGID MALE	\$485.00
AH5NR-NX	ELBOW 4.5"NHF X 6.0"NHM	SWIVEL ROCKER LUG TO RIGID MALE	\$510.00
AH5NT-NP	ELBOW 5.0"NHF X 4.0"NHM	SWIVEL ROCKER LUG TO RIGID MALE	\$485.00
AH5NT-NR	ELBOW 5.0"NHF X 4.5"NHM	SWIVEL ROCKER LUG TO RIGID MALE	\$505.00
AH5NT-NT	ELBOW 5.0"NHF X 5.0"NHM	SWIVEL ROCKER LUG TO RIGID MALE	\$322.00
AH5NT-NX	ELBOW 5.0"NHF X 6.0"NHM	SWIVEL ROCKER LUG TO RIGID MALE	\$565.00



STYLE KEL AH5H SERIES - Swivel Female Handle to Rigid Male Rocker Lug

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AH5HNP-NP	ELBOW 4.0"NHF X 4.0"NHM	SWIVEL HANDLE TO RIGID MALE	\$216.50
AH5HNP-NR	ELBOW 4.0"NHF X 4.5"NHM	SWIVEL HANDLE TO RIGID MALE	\$365.00
AH5HNP-NT	ELBOW 4.0"NHF X 5.0"NHM	SWIVEL HANDLE TO RIGID MALE	\$485.00
AH5HNP-NX	ELBOW 4.0"NHF X 6.0"NHM	SWIVEL HANDLE TO RIGID MALE	\$505.00
AH5HNR-NP	ELBOW 4.5"NHF X 4.0"NHM	SWIVEL HANDLE TO RIGID MALE	\$365.00
AH5HNR-NR	ELBOW 4.5"NHF X 4.5"NHM	SWIVEL HANDLE TO RIGID MALE	\$277.00
AH5HNR-NT	ELBOW 4.5"NHF X 5.0"NHM	SWIVEL HANDLE TO RIGID MALE	\$485.00
AH5HNR-NX	ELBOW 4.5"NHF X 6.0"NHM	SWIVEL HANDLE TO RIGID MALE	\$505.00
AH5HNT-NP	ELBOW 5.0"NHF X 4.0"NHM	SWIVEL HANDLE TO RIGID MALE	\$485.00
AH5HNT-NR	ELBOW 5.0"NHF X 4.5"NHM	SWIVEL HANDLE TO RIGID MALE	\$505.00
AH5HNT-NT	ELBOW 5.0"NHF X 5.0"NHM	SWIVEL HANDLE TO RIGID MALE	\$345.50
AH5HNT-NX	ELBOW 5.0"NHF X 6.0"NHM	SWIVEL HANDLE TO RIGID MALE	\$565.00
AH5HNX-NP	ELBOW 6.0"NHF X 4.0"NHM	SWIVEL HANDLE TO RIGID MALE	\$505.00
AH5HNX-NR	ELBOW 6.0"NHF X 4.5"NHM	SWIVEL HANDLE TO RIGID MALE	\$505.00
AH5HNX-NT	ELBOW 6.0NHF X 5.0"NHM	SWIVEL HANDLE TO RIGID MALE	\$535.00
AH5HNX-NX	ELBOW 6.0NHF X 6.0"NHM	SWIVEL HANDLE TO RIGID MALE	\$389.00



AH7 SERIES - Swivel Female Rocker Lug to Swivel Female Rocker Lug

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AH7NP-NP	ELBOW 4.0"NHF X 4.0"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$395.00
AH7NR-NP	ELBOW 4.5"NHF X 4.0"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$395.00
AH7NR-NR	ELBOW 4.5"NHF X 4.5"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$395.00
AH7NT-NP	ELBOW 5.0"NHF X 4.0"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$535.00
AH7NT-NR	ELBOW 5.0"NHF X 4.5"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$535.00
AH7NT-NT	ELBOW 5.0"NHF X 5.0"NHF	SWIVEL ROCKER LUG TO SWIVEL ROCKER LUG	\$565.00



AH7H SERIES - Swivel Female Handle to Swivel Female Handle

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AH7HNP-NN	ELBOW 4.0"NHF X 3.5"NHF	SWIVEL HANDLE TO SWIVEL ROCKERLUG	\$395.00
AH7HNP-NP	ELBOW 4.0"NHF X 4.0"NHF	SWIVEL HANDLE TO SWIVEL HANDLE	\$395.00
AH7HNR-NP	ELBOW 4.5"NHF X 4.0"NHF	SWIVEL HANDLE TO SWIVEL HANDLE	\$395.00
AH7HNR-NR	ELBOW 4.5"NHF X 4.5"NHF	SWIVEL HANDLE TO SWIVEL HANDLE	\$395.00
AH7HNT-NP	ELBOW 5.0"NHF X 4.0"NHF	SWIVEL HANDLE TO SWIVEL HANDLE	\$535.00
AH7HNT-NR	ELBOW 5.0"NHF X 4.5"NHF	SWIVEL HANDLE TO SWIVEL HANDLE	\$535.00
AH7HNT-NT	ELBOW 5.0"NHF X 5.0"NHF	SWIVEL HANDLE TO SWIVEL HANDLE	\$565.00
AH7HNX-NP	ELBOW 6.0"NHF X 4.0"NHF	SWIVEL HANDLE TO SWIVEL HANDLE	\$565.00
AH7HNX-NR	ELBOW 6.0"NHF X 4.5"NHF	SWIVEL HANDLE TO SWIVEL HANDLE	\$565.00
AH7HNX-NT	ELBOW 6.0"NHF X 5.0"NHF	SWIVEL HANDLE TO SWIVEL HANDLE	\$580.00
AH7HNX-NX	ELBOW 6.0"NHF X 6.0"NHF	SWIVEL HANDLE TO SWIVEL HANDLE	\$580.00

ELBOWS — AH Series, Storz

TFT AH series Storz elbows are cast to a 30-degree down angle for easy connection and to relieve the weight of the hose when connected. Their maximum operating pressure is 300 psi (20 bar) and they are compliant to NFPA 1964 2018 edition which dictates a 900 psi (62 bar) hydrostatic strength test. The aluminum parts are hardcoat anodized per MIL-A-8625 Type III, Class 2 for maximum corrosion protection then powder coated silver. Hose couplings are attached using polymer bearing rings which provide electrical isolation to help prevent galvanic corrosion. All Storz adapters are supplied with pressure gaskets. Suction gaskets are available. All 4" and 5" Storz Rigid coupling may be switched from rigid to swivel by loosening the lock screw.



STYLE SKE-R AH1 SERIES - Swivel Storz to Swivel Female Rocker Lug

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AH1SP-NJ	ELBOW 4.0"STORZ X 2.5"NHF	STORZ SWIVEL TO SWIVEL ROCKER LUG	\$188.00
AH1SP-NL	ELBOW 4.0"STORZ X 3.0"NHF	STORZ SWIVEL TO SWIVEL ROCKER LUG	\$189.50
AH1SP-NN	ELBOW 4.0"STORZ X 3.5"NHF	STORZ SWIVEL TO SWIVEL ROCKER LUG	\$204.50
AH1SP-NP	ELBOW 4.0"STORZ X 4.0"NHF	STORZ SWIVEL TO SWIVEL ROCKER LUG	\$188.00
AH1SP-NR	ELBOW 4.0"STORZ X 4.5"NHF	STORZ SWIVEL TO SWIVEL ROCKER LUG	\$217.00
AH1SP-NT	ELBOW 4.0"STORZ X 5.0"NHF	STORZ SWIVEL TO SWIVEL ROCKER LUG	\$228.50
AH1ST-NJ	ELBOW 5.0"STORZ X 2.5"NHF	STORZ SWIVEL TO SWIVEL ROCKER LUG	\$213.00
AH1ST-NL	ELBOW 5.0"STORZ X 3.0"NHF	STORZ SWIVEL TO SWIVEL ROCKER LUG	\$223.50
AH1ST-NN	ELBOW 5.0"STORZ X 3.5"NHF	STORZ SWIVEL TO SWIVEL ROCKER LUG	\$232.00
AH1ST-NP	ELBOW 5.0"STORZ X 4.0"NHF	STORZ SWIVEL TO SWIVEL ROCKER LUG	\$226.50
AH1ST-NR	ELBOW 5.0"STORZ X 4.5"NHF	STORZ SWIVEL TO SWIVEL ROCKER LUG	\$247.50
AH1ST-NT	ELBOW 5.0"STORZ X 5.0"NHF	STORZ SWIVEL TO SWIVEL ROCKER LUG	\$243.00
AH1SX-NJ	ELBOW 6.0"STORZ X 2.5"NHF	STORZ SWIVEL TO SWIVEL ROCKER LUG	\$259.50
AH1SX-NL	ELBOW 6.0"STORZ X 3.0"NHF	STORZ SWIVEL TO SWIVEL ROCKER LUG	\$303.00
AH1SX-NN	ELBOW 6.0"STORZ X 3.5"NHF	STORZ SWIVEL TO SWIVEL ROCKER LUG	\$322.00
AH1SX-NP	ELBOW 6.0"STORZ X 4.0"NHF	STORZ SWIVEL TO SWIVEL ROCKER LUG	\$327.50
AH1SX-NR	ELBOW 6.0"STORZ X 4.5"NHF	STORZ SWIVEL TO SWIVEL ROCKER LUG	\$346.50
AH1SX-NT	ELBOW 6.0"STORZ X 5.0"NHF	STORZ SWIVEL TO SWIVEL ROCKER LUG	\$355.00



STYLE SKE-L AH1H SERIES - Swivel Storz to Swivel Female Handle

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AH1HSP-NP	ELBOW 4.0"STORZ X 4.0" FEMALE	STORZ SWIVEL TO SWIVEL HANDLE	\$210.50
AH1HSP-NR	ELBOW 4.0"STORZ X 4.5" FEMALE	STORZ SWIVEL TO SWIVEL HANDLE	\$237.00
AH1HSP-NT	ELBOW 4.0"STORZ X 5.0" FEMALE	STORZ SWIVEL TO SWIVEL HANDLE	\$241.00
AH1HSP-NX	ELBOW 4.0"STORZ X 6.0" FEMALE	STORZ SWIVEL TO SWIVEL HANDLE	\$262.50
AH1HST-NP	ELBOW 5.0"STORZ X 4.0" FEMALE	STORZ SWIVEL TO SWIVEL HANDLE	\$251.00
AH1HST-NR	ELBOW 5.0"STORZ X 4.5" FEMALE	STORZ SWIVEL TO SWIVEL HANDLE	\$268.50
AH1HST-NT	ELBOW 5.0"STORZ X 5.0" FEMALE	STORZ SWIVEL TO SWIVEL HANDLE	\$271.00
AH1HST-NX	ELBOW 5.0"STORZ X 6.0" FEMALE	STORZ SWIVEL TO SWIVEL HANDLE	\$274.00
AH1HSX-NP	ELBOW 6.0"STORZ X 4.0" FEMALE	STORZ SWIVEL TO SWIVEL HANDLE	\$358.00
AH1HSX-NR	ELBOW 6.0"STORZ X 4.5" FEMALE	STORZ SWIVEL TO SWIVEL HANDLE	\$378.00
AH1HSX-NT	ELBOW 6.0"STORZ X 5.0" FEMALE	STORZ SWIVEL TO SWIVEL HANDLE	\$386.50
AH1HSX-NX	ELBOW 6.0"STORZ X 6.0" FEMALE	STORZ SWIVEL TO SWIVEL HANDLE	\$395.50



AH4 SERIES - Rigid Storz to Swivel Storz

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AH4SP-SP	ELBOW 4.0"STORZ X 4.0"STORZ	RIGID TO SWIVEL	\$270.00
AH4ST-SP	ELBOW 5.0"STORZ X 4.0"STORZ	RIGID TO SWIVEL	\$270.00
AH4ST-ST	ELBOW 5.0"STORZ X 5.0"STORZ	RIGID TO SWIVEL	\$390.00
AH4ST-SX	ELBOW 5.0"STORZ X 6.0" STORZ	RIGID TO SWIVEL	\$440.00
AH4SX-SP	ELBOW 6.0"STORZ X 4.0"STORZ	RIGID TO SWIVEL	\$290.00
AH4SX-ST	ELBOW 6.0"STORZ X 5.0"STORZ	RIGID TO SWIVEL	\$440.00
AH4SX-SX	ELBOW 6.0"STORZ X 6.0"STORZ	RIGID TO SWIVEL	\$505.00



AH2 SERIES - Rigid Storz to Rigid Male Rocker Lug

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AH2SJ-NL	ELBOW 2.5"STORZ X 3.0" NHM	RIGID TO RIGID MALE	\$170.00
AH2SP-NJ	ELBOW 4.0"STORZ X 2.5"NHM	RIGID TO RIGID MALE	\$170.00
AH2SP-NL	ELBOW 4.0"STORZ X 3.0"NHM	RIGID TO RIGID MALE	\$170.00
AH2SP-NN	ELBOW 4.0"STORZ X 3.5"NHM	RIGID TO RIGID MALE	\$195.00
AH2SP-NP	ELBOW 4.0"STORZ X 4.0"NHM	RIGID TO RIGID MALE	\$195.00
AH2SP-NR	ELBOW 4.0"STORZ X 4.5"NHM	RIGID TO RIGID MALE	\$220.00
AH2SP-NT	ELBOW 4.0"STORZ X 5.0"NHM	RIGID TO RIGID MALE	\$245.00
AH2SP-NX	ELBOW 4.0"STORZ X 6.0"NHM	RIGID TO RIGID MALE	\$245.00
AH2ST-NJ	ELBOW 5.0"STORZ X 2.5"NHM	RIGID TO RIGID MALE	\$170.00
AH2ST-NL	ELBOW 5.0"STORZ X 3.0"NHM	RIGID TO RIGID MALE	\$195.00
AH2ST-NN	ELBOW 5.0"STORZ X 3.5"NHM	RIGID TO RIGID MALE	\$220.00
AH2ST-NP	ELBOW 5.0"STORZ X 4.0"NHM	RIGID TO RIGID MALE	\$220.00
AH2ST-NR	ELBOW 5.0"STORZ X 4.5"NHM	RIGID TO RIGID MALE	\$220.00
AH2ST-NT	ELBOW 5.0"STORZ X 5.0"NHM	RIGID TO RIGID MALE	\$265.00
AH2ST-NX	ELBOW 5.0"STORZ X 6.0"NHM	RIGID TO RIGID MALE	\$265.00
AH2SX-NJ	ELBOW 6.0"STORZ X 2.5"NHM	RIGID TO RIGID MALE	\$290.00
AH2SX-NL	ELBOW 6.0"STORZ X 3.0"NHM	RIGID TO RIGID MALE	\$290.00
AH2SX-NN	ELBOW 6.0"STORZ X 3.5"NHM	RIGID TO RIGID MALE	\$290.00
AH2SX-NP	ELBOW 6.0"STORZ X 4.0"NHM	RIGID TO RIGID MALE	\$315.00
AH2SX-NR	ELBOW 6.0"STORZ X 4.5"NHM	RIGID TO RIGID MALE	\$340.00
AH2SX-NT	ELBOW 6.0"STORZ X 5.0"NHM	RIGID TO RIGID MALE	\$340.00
AH2SX-NX	ELBOW 6.0"STORZ X 6.0"NHM	RIGID TO RIGID MALE	\$340.00



STYLE SKE AH3 SERIES - Swivel Storz to Swivel Female Rocker Lug

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AH3SP-NJ	ELBOW 4.0"STORZ X 2.5"NHF	RIGID TO SWIVEL ROCKER LUG	\$188.00
AH3SP-NL	ELBOW 4.0"STORZ X 3.0"NHF	RIGID TO SWIVEL ROCKER LUG	\$189.50
AH3SP-NN	ELBOW 4.0"STORZ X 3.5"NHF	RIGID TO SWIVEL ROCKER LUG	\$204.50
AH3SP-NP	ELBOW 4.0"STORZ X 4.0"NHF	RIGID TO SWIVEL ROCKER LUG	\$188.00
AH3SP-NR	ELBOW 4.0"STORZ X 4.5"NHF	RIGID TO SWIVEL ROCKER LUG	\$217.00
AH3SP-NT	ELBOW 4.0"STORZ X 5.0"NHF	RIGID TO SWIVEL ROCKER LUG	\$228.50
AH3SP-TX	ELBOW 4.0"STORZ X 6.0"NPTF	RIGID TO SWIVEL ROCKER LUG	\$237.50
AH3ST-NJ	ELBOW 5.0"STORZ X 2.5"NHF	RIGID TO SWIVEL ROCKER LUG	\$213.00
AH3ST-NL	ELBOW 5.0"STORZ X 3.0"NHF	RIGID TO SWIVEL ROCKER LUG	\$223.50
AH3ST-NN	ELBOW 5.0"STORZ X 3.5"NHF	RIGID TO SWIVEL ROCKER LUG	\$232.00
AH3ST-NP	ELBOW 5.0"STORZ X 4.0"NHF	RIGID TO SWIVEL ROCKER LUG	\$226.50
AH3ST-NR	ELBOW 5.0"STORZ X 4.5"NHF	RIGID TO SWIVEL ROCKER LUG	\$247.50
AH3ST-NT	ELBOW 5.0"STORZ X 5.0"NHF	RIGID TO SWIVEL ROCKER LUG	\$243.00
AH3ST-TX	ELBOW 5.0"STORZ X 6.0"NPTF	RIGID TO SWIVEL ROCKER LUG	\$255.00
AH3SX-NJ	ELBOW 6.0"STORZ X 2.5"NHF	RIGID TO SWIVEL ROCKER LUG	\$259.50
AH3SX-NL	ELBOW 6.0"STORZ X 3.0"NHF	RIGID TO SWIVEL ROCKER LUG	\$303.00
AH3SX-NN	ELBOW 6.0"STORZ X 3.5"NHF	RIGID TO SWIVEL ROCKER LUG	\$322.00
AH3SX-NP	ELBOW 6.0"STORZ X 4.0"NHF	RIGID TO SWIVEL ROCKER LUG	\$327.50
AH3SX-NR	ELBOW 6.0"STORZ X 4.5"NHF	RIGID TO SWIVEL ROCKER LUG	\$346.50
AH3SX-NT	ELBOW 6.0"STORZ X 5.0"NHF	RIGID TO SWIVEL ROCKER LUG	\$355.00
AH3SX-TX	ELBOW 6.0"STORZ X 6.0"NPTF	RIGID TO SWIVEL ROCKER LUG	\$362.50



SYTLE SKE-L AH3H SERIES - Rigid Storz to Swivel Female Handle

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AH3HSP-NP	ELBOW 4.0"STORZ X 4.0"NHF	RIGID TO SWIVEL HANDLE	\$210.50
AH3HSP-NR	ELBOW 4.0"STORZ X 4.5"NHF	RIGID TO SWIVEL HANDLE	\$237.00
AH3HSP-NT	ELBOW 4.0"STORZ X 5.0"NHF	RIGID TO SWIVEL HANDLE	\$241.00
AH3HSP-NX	ELBOW 4.0"STORZ X 6.0"NHF	RIGID TO SWIVEL HANDLE	\$262.50
AH3HST-NP	ELBOW 5.0"STORZ X 4.0"NHF	RIGID TO SWIVEL HANDLE	\$251.00
AH3HST-NR	ELBOW 5.0"STORZ X 4.5"NHF	RIGID TO SWIVEL HANDLE	\$268.50
AH3HST-NT	ELBOW 5.0"STORZ X 5.0"NHF	RIGID TO SWIVEL HANDLE	\$271.00
AH3HST-NX	ELBOW 5.0"STORZ X 6.0"NHF	RIGID TO SWIVEL HANDLE	\$274.00
AH3HSX-NP	ELBOW 6.0"STORZ X 4.0"NHF	RIGID TO SWIVEL HANDLE	\$358.00
AH3HSX-NR	ELBOW 6.0"STORZ X 4.5"NHF	RIGID TO SWIVEL HANDLE	\$378.00
AH3HSX-NT	ELBOW 6.0"STORZ X 5.0"NHF	RIGID TO SWIVEL HANDLE	\$386.50
AH3HSX-NX	ELBOW 6.0"STORZ X 6.0"NHF	RIGID TO SWIVEL HANDLE	\$395.50

90 DEGREE ELBOWS — AF Series

The 90 Degree Elbow has a full-time ball bearing swivel that allows 360° rotation while coupling remains secured. The elbow has 1/4" NPT and 3/4" NPT ports to allow installation of a pressure gauge and/or bleeder. Constructed of hardcoat anodized aluminum alloys, with powder coat finish inside and out on the elbow casting for maximum corrosion protection. Maximum operating pressure is 300 psi (20 bar).



AF4 SERIES - Rigid Storz to Rigid Storz

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AF4ST-ST	ELBOW 90 DEGREE 5.0" STORZ X 5.0"STORZ	RIGID TO RIGID	\$710.00
AF4SX-SX	ELBOW 90 DEGREE 6.0" STORZ X 6.0"STORZ	RIGID TO RIGID	\$710.00



AF5 SERIES - Swivel Female to Rigid Male

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AF5HNX-NT	ELBOW 90 6.0"NHF X 5.0"NHM	SWIVEL FEMALE HANDLE TO RIGID MALE	\$710.00
AF5HNX-NX	ELBOW 90 6.0"NHF X 6.0"NHM	SWIVEL FEMALE HANDLE TO RIGID MALE	\$710.00

DETENT ELBOWS — AJ Series

TFT AJ series detent elbows are cast to a 30-degree down angle for easy connection and to relieve the weight of the hose when connected. The swivel includes multiple detent options that allow the elbow to swivel 360 degrees. This makes the LDH connection easy and will allow the hose to find its path of least resistance on its own. They are an ideal elbow for pumps with built-in intake valves. Their maximum operating pressure is 300 psi (20 bar) and they are compliant to NFPA 1964 2018 edition which dictates a 900 psi (62 bar) hydrostatic strength test. The aluminum parts are hardcoat anodized per MIL-A-8625 Type III, Class 2 for maximum corrosion protection then powder coated silver. Hose couplings are attached using polymer bearing rings which provide electrical isolation to help prevent galvanic corrosion.



AJ3 SERIES - Swivel Storz to Swivel Female Handle

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AJ3SP-NT	DETENT ELBOW 4.0"STORZ SWIVEL X 5.0"NHF	SWIVEL TO SWIVEL FEMALE HANDLE	\$556.00
AJ3SP-NX	DETENT ELBOW 4.0"STORZ SWIVEL X 6.0"NHF	SWIVEL TO SWIVEL FEMALE HANDLE	\$596.00
AJ3ST-NT	DETENT ELBOW 5.0"STORZ SWIVEL X 5.0"NHF	SWIVEL TO SWIVEL FEMALE HANDLE	\$580.00
AJ3ST-NX	DETENT ELBOW 5.0"STORZ SWIVEL X 6.0"NHF	SWIVEL TO SWIVEL FEMALE HANDLE	\$636.00
AJ3SX-NT	DETENT ELBOW 6.0"STORZ SWIVEL X 5.0"NHF	SWIVEL TO SWIVEL FEMALE HANDLE	\$596.00
AJ3SX-NX	DETENT ELBOW 6.0"STORZ SWIVEL X 6.0"NHF	SWIVEL TO SWIVEL FEMALE HANDLE	\$676.00



AJ1 SERIES - Rigid Storz Swivel Female Handle

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AJ1SP-NT	DETENT ELBOW 4.0"STORZ RIGID X 5.0"NHF	RIGID TO SWIVEL FEMALE HANDLE	\$556.00
AJ1SP-NX	DETENT ELBOW 4.0"STORZ RIGID X 6.0"NHF	RIGID TO SWIVEL FEMALE HANDLE	\$596.00
AJ1ST-NT	DETENT ELBOW 5.0"STORZ RIGID X 5.0"NHF	RIGID TO SWIVEL FEMALE HANDLE	\$580.00
AJ1ST-NX	DETENT ELBOW 5.0"STORZ RIGID X 6.0"NHF	RIGID TO SWIVEL FEMALE HANDLE	\$636.00
AJ1SX-NT	DETENT ELBOW 6.0"STORZ RIGID X 5.0"NHF	RIGID TO SWIVEL FEMALE HANDLE	\$596.00
AJ1SX-NX	DETENT ELBOW 6.0"STORZ RIGID X 6.0"NHF	RIGID TO SWIVEL FEMALE HANDLE	\$676.00



AJ7 SERIES - Swivel Female Rocker Lug Swivel Female Handle

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AJ7NP-NT	DETENT ELBOW 4.0"NHF X 5.0"NHF	SWIVEL ROCKER LUG TO SWIVEL HANDLE	\$596.00
AJ7NP-NX	DETENT ELBOW 4.0"NHF X 6.0"NHF	SWIVEL ROCKER LUG TO SWIVEL HANDLE	\$636.00
AJ7NR-NT	DETENT ELBOW 4.5"NHF X 5.0"NHF	SWIVEL ROCKER LUG TO SWIVEL HANDLE	\$596.00
AJ7NR-NX	DETENT ELBOW 4.5"NHF X 6.0"NHF	SWIVEL ROCKER LUG TO SWIVEL HANDLE	\$636.00
AJ7NT-NT	DETENT ELBOW 5.0"NHF X 5.0"NHF	SWIVEL ROCKER LUG TO SWIVEL HANDLE	\$636.00
AJ7NT-NX	DETENT ELBOW 5.0"NHF X 6.0"NHF	SWIVEL ROCKER LUG TO SWIVEL HANDLE	\$636.00



AJ7H SERIES - Swivel Female Handle Swivel Female Handle

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AJ7HNP-NT	DETENT ELBOW 4.0"NHF X 5.0"NHF	SWIVEL HANDLE TO SWIVEL HANDLE	\$596.00
AJ7HNP-NX	DETENT ELBOW 4.0"NHF X 6.0"NHF	SWIVEL HANDLE TO SWIVEL HANDLE	\$636.00
AJ7HNR-NT	DETENT ELBOW 4.5"NHF X 5.0"NHF	SWIVEL HANDLE TO SWIVEL HANDLE	\$596.00
AJ7HNR-NX	DETENT ELBOW 4.5"NHF X 6.0"NHF	SWIVEL HANDLE TO SWIVEL HANDLE	\$636.00
AJ7HNT-NT	DETENT ELBOW 5.0"NHF X 5.0"NHF	SWIVEL HANDLE TO SWIVEL HANDLE	\$636.00
AJ7HNT-NX	DETENT ELBOW 5.0"NHF X 6.0"NHF	SWIVEL HANDLE TO SWIVEL HANDLE	\$652.00
AJ7HNX-NT	DETENT ELBOW 6.0"NHF X 5.0"NHF	SWIVEL HANDLE TO SWIVEL HANDLE	\$652.00
AJ7HNX-NX	DETENT ELBOW 6.0"NHF X 6.0"NHF	SWIVEL HANDLE TO SWIVEL HANDLE	\$676.00



AJ8 SERIES - Rigid Male Rocker Lug Swivel Female Handle

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
AJ8NP-NT	DETENT ELBOW 4.0"NHM X 5.0"NHF	RIGID MALE TO SWIVEL HANDLE	\$540.00
AJ8NP-NX	DETENT ELBOW 4.0"NHM X 6.0"NHF	RIGID MALE TO SWIVEL HANDLE	\$580.00
AJ8NR-NT	DETENT ELBOW 4.5"NHM X 5.0"NHF	RIGID MALE TO SWIVEL HANDLE	\$540.00
AJ8NR-NX	DETENT ELBOW 4.5"NHM X 6.0"NHF	RIGID MALE TO SWIVEL HANDLE	\$580.00
AJ8NT-NT	DETENT ELBOW 5.0"NHM X 5.0"NHF	RIGID MALE TO SWIVEL HANDLE	\$580.00
AJ8NT-NX	DETENT ELBOW 5.0"NHM X 6.0"NHF	RIGID MALE TO SWIVEL HANDLE	\$596.00
AJ8NX-NT	DETENT ELBOW 6.0"NHM X 5.0"NHF	RIGID MALE TO SWIVEL HANDLE	\$596.00
AJ8NX-NX	DETENT ELBOW 6.0"NHM X 6.0"NHF	RIGID MALE TO SWIVEL HANDLE	\$636.00

BLIND CAPS — A0 Series

The A0 series of blind caps are made of lightweight heat treated aluminum. They include an 18" (46cm) lanyard with ¼" (6mm) eye for easy attachment. Per NFPA 1963, Storz caps come with a suction gasket and no locking lever. The blind caps have a 1.5" Circle cotter for attachment.



A01 SERIES - Blind Cap with Lanyard

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
A01ID	BLIND CAP 1.0"NPSHF W/LANYARD	ROCKER LUG	\$21.00
A01IF	BLIND CAP 1.5"NPSHF W/LANYARD	ROCKER LUG	\$21.00
A01IJ	BLIND CAP 2.5"NPSHF W/LANYARD	ROCKER LUG	\$32.50
A01ND	BLIND CAP 1.0"NHF W/LANYARD	ROCKER LUG	\$21.00
A01NF	BLIND CAP 1.5"NHF W/LANYARD	ROCKER LUG	\$21.00
A01NJ	BLIND CAP 2.5"NHF W/LANYARD	ROCKER LUG	\$32.50
A01NL	BLIND CAP 3.0"NHF W/LANYARD	ROCKER LUG	\$40.50
A01NN	BLIND CAP 3.5"NHF W/LANYARD	ROCKER LUG	\$54.50
A01NP	BLIND CAP 4.0"NHF W/LANYARD	ROCKER LUG	\$73.00
A01NR	BLIND CAP 4.5"NHF W/LANYARD	ROCKER LUG	\$82.00
A01NT	BLIND CAP 5.0"NHF W/LANYARD	ROCKER LUG	\$93.50
A01NX	BLIND CAP 6.0"NHF W/LANYARD	ROCKER LUG	\$140.50

A01 SERIES - Blind Cap Rocker Lug with out Lanyard

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
A01NJ-WL	BLIND CAP 2.5"NHF W/O LANYARD	ROCKER LUG	\$27.00
A01NP-WL	BLIND CAP 4.0"NHF W/O LANYARD	ROCKER LUG	\$67.50



A01H SERIES - Blind Cap Handle with Lanyard

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
A01HNR	BLIND CAP HNDL 4.5"NHF W/LANYARD	HANDLE	\$119.50
A01HNX	BLIND CAP HNDL 6.0"NHF W/LANYARD	HANDLE	\$182.00



A05 SERIES - Blind Plug with Lanyard

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
A05IF	BLIND PLUG 1.5"NPSHM W/LANYARD	ROCKER LUG BLIND PLUG	\$28.50
A05NF	BLIND PLUG 1.5"NHM W/LANYARD	ROCKER LUG BLIND PLUG	\$28.50
A05NJ	BLIND PLUG 2.5"NHM W/LANYARD	ROCKER LUG BLIND PLUG	\$37.50



A01 SERIES - Adapter with Blind Cap

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
A01NJ-NF	ADAPTER 2.5"NHF X 1.5"NHM WITH 1.5" CAP	FEMALE X MALE THREAD REDUCING ADAPTER	\$48.50



A01S SERIES - Storz Blind Cap with Lanyard

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
A01SJ	BLIND CAP 2.5"STORZ W/LANYARD	NO STORZ LOCK INCLUDED	\$41.50
A01SP	BLIND CAP 4.0"STORZ W/LANYARD	NO STORZ LOCK INCLUDED	\$66.00
A01ST	BLIND CAP 5.0"STORZ W/LANYARD	NO STORZ LOCK INCLUDED	\$91.50
A01ST-PA	BLIND CAP 5.0"STORZ W/LANYARD	W/ 1/4"NPT (PORT) NO STORZ LOCK INCLUDED	\$91.50
A01SX	BLIND CAP 6.0"STORZ W/LANYARD	W/ 1/4"NPT (PORT) NO STORZ LOCK INCLUDED	\$171.50

HYDRANT ADAPTERS — A0 Series

Designed to enhance the rapid attachment of supply lines and improve inter-operability among responding agencies, hydrant Storz adapters easily and permanently attach to the threaded hydrant discharge port. The adapter and permanently secured cap are manufactured from hard anodized cast aluminum alloy for years of rugged use. The adapter includes a Storz lock, set screws to secure adapter to hydrant, and a hole to install an anti-tamper device. Colored Scotchlite labeling is included in colors corresponding to NFPA 291 flow ranges (blue, green, orange and red). Adapter and cap meet NFPA 1963 and 1965 900psi hydrostatic testing.



A04 SERIES - Hydrant Adapter

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
A04NP-ST	HYDRANT ADAPTER 4.0"NHF X 5.0"STORZ	WITH 5.0"STORZ BLIND CAP & LANYARD	\$145.00
A04NR-ST	HYDRANT ADAPTER 4.5"NHF X 5.0"STORZ	WITH 5.0"STORZ BLIND CAP & LANYARD	\$257.00
A04NR-SX	HYDRANT ADAPTER 4.5"NHF X 6.0"STORZ	WITH 6.0"STORZ BLIND CAP & LANYARD	\$325.00
A04-LAB-KIT	STORZ HYDRANT ADAPTER LABEL KIT - ALL	BLUE GREEN ORANGE RED	\$36.00

HOSE THREAD ADAPTERS

TFT hose thread adapters allow for easy hose connections. The internal flow path is specially shaped to reduce friction loss and turbulence when reducing.



H-A SERIES - 2.5" Hose Reducing Adapter

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
H-A	ADAPTER 2.5"NHF X 1.5"NHM	FEMALE X MALE THREAD REDUCING ADAPTER	\$61.00
H-A-SJNF	ADAPTER 2.5"STORZ X 1.5"NHM	STORZ X MALE REDUCING ADAPTER	\$228.00
H-A-JIF	ADAPTER 2.5"J-F X 1.5"NPSHM	FEMALE X MALE THREAD REDUCING ADAPTER	\$61.00
H-A-NJIF	ADAPTER 2.5"NHF X 1.5"NPSHM	FEMALE X MALE THREAD REDUCING ADAPTER	\$61.00



B-A SERIES - 1.5" Hose Reducing Adapter

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
B-A	ADAPTER 1.5"NHF X 1.0"NHM	FEMALE X MALE THREAD REDUCING ADAPTER	\$49.00
B-A-IFID	ADAPTER 1.5"NPSHF X 1.0"NPSHM	FEMALE X MALE THREAD REDUCING ADAPTER	\$49.00
B-A-IFND	ADAPTER 1.5"NPSHF X 1.0"NHM	FEMALE X MALE THREAD REDUCING ADAPTER	\$49.00

TOOLS

TFT spanners, wrenches and tools are designed for rugged fire service use in a variety of applications. Many items include brackets for easy truck mounting.



JUMBO SPANNER WRENCH
A3090



ADJUSTABLE HYDRANT WRENCH
A3800




SPANNER WRENCHES & BRACKET
A3810




SPANNER WRENCH
A3813




WRENCH BRACKET & SPRING
A3815




HAND HELD HOSE ROLLER
A3820




HYDRANT WRENCH
A3835




2 WRENCH BRACKET SET
A3840



2 WRENCH BRACKET
A3842



3 WRENCH BRACKET
A3843



3 WRENCH BRACKET SET
A3845



3 WRENCH BRACKET SET TFT
A3850

TOOLS - Spanners, Wrenches, Brackets

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
A3090	JUMBO SPANNER WRENCH	SINGLE FITS 1" THRU 6" STORZ	\$35.00
A3800	ADJUSTABLE HYDRANT WRENCH	FITS 1" THRU 6" STORZ	\$135.00
A3810	SPANNER WRENCHES & BRACKET	4 WRENCHES FIT 1" THRU 6" STORZ	\$150.00
A3813	SPANNER WRENCH	WRENCH ONLY	\$28.00
A3815	WRENCH BRACKET & SPRING		\$52.00
A3820	HAND HELD HOSE ROLLER		\$225.00
A3835	HYDRANT WRENCH	WRENCH ONLY	\$85.00
A3840	2 WRENCH BRACKET SET	SPANNERS	\$135.00
A3842	2 WRENCH BRACKET	BRACKET ONLY	\$80.00
A3843	3 WRENCH BRACKET	BRACKET ONLY	\$90.00
A3845	3 WRENCH BRACKET SET	SPANNERS & HYDRANT	\$225.00
A3850	3 WRENCH BRACKET SET TFT	SPANNERS & TFT HYDRANT	\$275.00



SPAN1 SERIES



SPAN1-301


RES-Q-RENCH - Spanner

PART NO	DESCRIPTION	ADDITIONAL DESCRIPTION	LIST PRICE
SPAN1	RES-Q-RENCH WITH BOX	FOLDING MULTI-FUNCTION SPANNER WRENCH	\$25.00
SPAN1-202	RES-Q-RENCH STORZ 32-38-45-52-65-75-110	FOLDING MULTI-FUNCTION SPANNER WRENCH	\$25.00
SPAN1-301	RES-Q-RENCH: TFT DSP MODEL	FOLDING MULTI-FUNCTION SPANNER WRENCH	\$25.00
SPAN1-L	RES-Q-RENCH LASERED WITH BOX	FOLDING MULTI-FUNCTION SPANNER WRENCH	\$25.00
SPAN1-NB	RES-Q-RENCH NO BOX	FOLDING MULTI-FUNCTION SPANNER WRENCH	\$25.00
SPAN25	RES-Q-RENCH BOX OF 25	FOLDING MULTI-FUNCTION SPANNER WRENCH	\$624.00

PRICE LIST and PRODUCT SPECIFICATIONS

Effective July 1, 2018

Water Is All We Do
Thousands Of Innovative Ways



Task Force Tips saves lives and protects property by designing and manufacturing innovative tools which exceed the expectations of those that risk their lives to save others.

800-348-2686 • 219-462-6161

TFT.com



Domestic Catalog 2018

TFT has two other catalogs offering a complete line of products designed to fit your wildland, municipal, or industrial fire fighting needs.

For either catalog simply call 1-800-348-2686 and request the current Price List and Product Specification Catalog (LOT-022) and/or the New Force In Firefighting Catalog (LIG-105) or visit TFT.com and download the PDF file.



TASK FORCE TIPS
FIRE FIGHTING EQUIPMENT

Wildland Fire
Fixed and Remote Control Monitors
Fixed and Remote Control Nozzles
Handheld Nozzles
Valves, Wyes and Tees
Foam Equipment and CAFS Nozzles
Tools and Accessories





Handheld Nozzles
Fixed, Selectable and Automatic
Standard, Low and Dual Pressure
Smooth Bores and Ball Valves
Pressure Gauges and Flow Indicators
Specialty Nozzles & Accessories

Industrial Fire
Fixed Station and Portable Monitors
Master Stream Nozzles
Self Educating Foam Nozzles & Attachments
LDH Hardware, Manifolds, Intake and Discharge Valves
Hazardous Location Monitors





Fire Apparatus Equipment
Fixed and Remote Control Monitors and Nozzles
Intake Valves, Adapters, Elbows and Fittings
Monitor Manifolds
Tools and Accessories

Water Supply
Intake Valves
Jumbo Wyes, Siamese and Gated Manifolds
Hydrant Assist Valves
Gated Wyes and Water Thiefs
Suction Hose Strainers





Foam Equipment
Foam Nozzles and Attachments
Eductors
Self-Educing Nozzles
Foam Injection and Application Systems

Foam Equipment
Foam Nozzles and Attachments
Eductors
Self-Educing Nozzles
Foam Injection and Application Systems



©Copyright Task Force Tips LLC 1977-2018

LOT-022 July 1, 2018 Rev 25

TASK FORCE TIPS LLC
MADE IN USA

3701 Innovation Way, Valparaiso, IN 46383-9327 USA
800-348-2686 • 219-462-6161 • Fax 219-464-7155

©Copyright Task Force Tips LLC 2018

LIA-600 July 1, 2018 Rev00